

## REMARKS

**Claims 1 to 8 are withdrawn.**

The Examiner objected to claims 1-8 and 11 under U.S.C. 102(b) as being anticipated by U.S. Patent Number 5,983,680 to Del Nin.

**Claims 9 and 10 are amended, and claim 10 remains unchanged.**

Accordingly, claims 1 to 8 have since been withdrawn and otherwise incorporated into an amended independent claim 9, consolidating all subject matter of previous claims 1 to 8. Dependent claim 10 remains unchanged, and claim 11 is amended to now depend on claim 10.

**This application suggests novel improvements not contemplated by Bogenberger nor Del Nin.**

The Examiner had objected to claims 9 and 10 pursuant to 35 U.S.C. 103(a) as being obvious and therefore unpatentable over Del Nin's U.S. Patent Number 5,983,680 in view of U.S. Patent Number 1,203,965 to Bogenberger.

The subject matter of previous claims 1 to 8 now consolidated into amended independent claim 9 is directed to the feature as best seen in Figure 2 of the present application that the hollow-sleeve portion of bayonette latch **44** contains a C-shaped aperture **50** through which knob **48** on vertical deadbolt **26** is received in the upper arm **52** of C-shaped aperture **50** to adjust the extent to which vertical deadbolt **26** penetrates aperture **30** in floor-plate **28**, providing the user with novel option to allow partial opening of door **4** within limits allowed by aperture **30** in floor-plate **28**. This feature is specifically recited in amended claim 9 as follows:

a first portion of the aperture, into which the bolt is extendable through the elongate opening in the plate, has a first depth;  
a second portion of the aperture into which the bolt is extendable through the enlarged opening in the plate, has a second depth;  
the second depth is greater than the first depth;  
in the first engaged position, the bolt extends into said aperture to a first engaged depth less than or equal to the first depth of the aperture; and  
in a second engaged position, the bolt extends into said second position of the aperture to a second engaged depth greater than the first depth of the aperture,  
such that, when the bolt is in said first engaged position, the door is openable by a predetermined amount, and when said bolt is in said second engaged position, the door is closed.



The applicant respectfully submits that Bogenberger does not teach this feature of the aperture having a first depth and a second depth with the door being closed when the bolt is in a second engaged position in which the bolt extends into the second deeper portion of the aperture. Accordingly, the herein application contains additional, novel partial door-locking options beyond those suggested by Bogenberger.

The applicant further submits that - to the extent that such novel partial door-locking option is already suggested by Del Nin - Del Nin himself, an inventor with ordinary skill in the art at the time, himself failed to ever suggest repositioning his C-shaped opening 88 from sleeve 84 onto actual lock-box 74 so as to provide the following novel benefits not considered at the time.

***1) Del Nin's improved invention now works with both left- and right-opening doors.***

More specifically, Del Nin's door-locking device, as illustrated, fit only left-opening doors. To the extent that such invention could be modified to fit right-opening doors too - at the very least, users could not use the identical device on both left and right-opening doors.

From a practical perspective, users could not necessarily remove one Del Nin door-locking device from one home and install the identical device in their new home whose door may open from the opposite direction.

From a marketing standpoint, stores selling Del Nin's door-locking invention must inconveniently stock separate left and right-side devices rather than the improved ambidextrous invention taught by Del Nin's new application herein.

***2) Del Nin's improved invention can no longer be manually disengaged from the floorplate.***

Otherwise, new combination of squared-off gear 36, smaller gear 38, and bolthead 42 traveling along horizontal aperture 46 so as to move raise/lower bayonette latch 44 holds now serves to prevent vertical deadbolt 26 from being manually lifted up from its locked position in aperture 30 of floor plate floor-plate relocation of C-Shaped opening 88 from sleeve 84 onto actual lock-box 74, such added security feature not suggested by Del Nin's original invention.

Finally, the applicant respectfully submits that he himself - a patented inventor of at least ordinary skill in the art - did not at the time contemplate strengthened modification of his previous invention to include new bolthead 42 travelling horizontal aperture 46 on latch 44 to better raise/lower vertical deadbolt 26 in/out of floor-plate aperture 30, thereby minimizing size of the newly-ambidextrous lock-box, and providing additional reinforcement for both knob 48 and C-shaped aperture 50.



**Conclusion:**

The applicant respectfully submits that door locks and arrangements for locking doors is a very crowded art, that a person skilled in the art would have no basis for combining the teachings of Bogenberger and Del Nin in the manner suggested, and that the present invention is therefore not to be considered in hindsight.

The applicant himself, ordinarily skilled in the art, upon applying for his original Del Nin patent, failed to appreciate novel improvements for significant strengthening of the formerly-exposed C-shaped aperture/knob area, for minimizing unsightly size/cost of the lockbox, and for allowing one single identical door-locking device to accommodate both left and right-opening doors to the benefit of all consumers, manufacturers, and vendors alike. Consistent with novelty of such improvements lies fact that neither Bogenberger nor Del Nin even suggest such practical difficulties to be overcome.

Accordingly, this applicant hereby submits that any or all of amended claims 9, 10, and 11 recite subject of patentable merit, and favorable consideration and passing of this application to allowance is respectfully requested.

Respectfully Submitted,

A handwritten signature in black ink that reads "Lou Del Nin". The signature is fluid and cursive, with the first letters of each name being capitalized and prominent.

DEL NIN, LOU F.

Lou Del Nin  
c/o Suite 720  
40 Sheppard Ave. West  
Toronto, Ontario M2N 6K9  
Canada

Tel: (416) 590-1900  
Fax: (416) 590-1600